


# Quadro-Sicura® MIS 40S

for buildings without basements

 PRESSING WATER

- Single-compartment house lead-in with injection system
- Use as angular penetration in floor slabs made of waterproof concrete
- For fibre optic cables/pipes or telecommunication lines



25  
Years  
Guarantee

## PRODUCT ADVANTAGES

- Suitable for retrofitting fibre optic cable/pipes or telecommunication lines
- Sealing via resin injection using an integrated membrane system
- Quick installation
- Suitable for building renovations

## TECHNICAL DETAILS

- Installation as angular penetration in floor slabs
- Leak-tight against gas and pressing water up to 1 bar
- radon proof – according to FHRK information sheet MB101
- For open design
- Integrated plug sealing
- Without additional shrinking
- Suitable for bores in floor slabs made of waterproof concrete, load class 1

## THE HOUSE LEAD-IN CONSISTS OF:

- Quadro-Sicura® MIS 40S
- Wall termination sleeve
- Grid bow
- Expansion resin
- Quick-clamping device

Supply lines	Line diameter
Fibre optic cable/pipes	2 × 5–7 mm or 1 × 9–12 mm

Dimensions	
Core bore/pipe sleeve Ø	40–50 mm
Design length	1,300 mm

Product	Line diameter	Article number
Quadro-Sicura® MIS 40S PU (packaging unit) 10 items	2 x 5 – 7 mm	2100 006 000 30
	1 x 9 – 12 mm	2100 012 000 30

Including 10 items from the 2K resin system, one quick-clamping device and 10 grid bows.



## ACCESSORIES – RECOMMENDED

- 2K cartridge gun

